



Wire Less Lan Antenna

S-001 Series



P/N	Frequency	Connector	Dimensions
S-001-1	2.4~2.5 GHz	SMA Male	10.6 x 88.0 mm
S-001-3	2.1~2.17 GHz	SMA Male	10.6 x 88.0 mm
C-569-1	824~896 & 1850~1990 MHz	SMA Male	10.6 x 88.0 mm
C-569-2	860~930 MHz	SMA Male	10.6 x 88.0 mm
C-569-3	916 MHz	SMA Male Reverse	10.6 x 88.0 mm
C-606-1	890~960 & 1710~1880 MHz	MMCX Male + RG-178x150mm	10.6 x 88.0 mm



S-026-1	2.4~2.5 GHz	SMA Male(90°)	16.5 x 97.5 mm
S-026-4	3.6 GHz	SMA Male(90°)	16.5 x 97.5 mm
S-026-5	2.4~2.5 GHz	SMA Male Reverse(90°)	16.5 x 97.5 mm
S-034	2.4 GHz	SMA Male Reverse(90°)	16.5 x 97.5 mm
C-718-1	860~930 MHz	SMA Male Reverse(90°)	16.5 x 97.5 mm
C-770	824~896 & 1850~1990 MH	SMA Male(90°)	16.5 x 97.5 mm
C-770-1	880~960 & 1710~1880 MHz	SMA Male(90°)	16.5 x 97.5 mm
C-770-2	824~896 MHz	SMA Male(90°)	16.5 x 97.5 mm



S-034-2	2.4~2.5 GHz	SMA Male Reverse	10.5 x 99.0 mm
S-104	5150 ~5350 MHz	SMA Male	10.5 x 99.0 mm
S-104-1	5725~5825 MHz	SMA Male	10.5 x 99.0 mm
S-104-2	5150~5350 MHz	SMA Female	10.5 x 99.0 mm
S-104-3	5725~5825 MHz	SMA Female	10.5 x 99.0 mm
C-742	890~960 & 1710~1880 MHz	SMA Male	10.5 x 99.0 mm
C-742-1	890~960 & 1710~1880 MHz	SMA Female	10.5 x 99.0 mm
C-742-2	890~960 & 1710~1880 MHz	SMA Female Reverse	10.5 x 99.0 mm
C-742-3	1850~1990 MHz	SMA Male	10.5 x 99.0 mm
C-742-4	1710~1880 MHz	SMA Male	10.5 x 99.0 mm
C-742-5	890~960 MHz	SMA Male	10.5 x 99.0 mm